







First Choice Solutions[®]



OUR PRODUCTS

first choice solutions




FUJI BEARING LOCK NUTS

- Unique slim body design
- Secure locking without a keyway or tab washer
- Improved shaft strength and balance
- Simple infinite adjustment
- Re-usable up to 100 times
- Quicker assembly with one piece construction
- Sizes from 10mm to 100mm inside diameter
- Carbon, high carbon and stainless steel versions
- Special socket tools available
- ISO 9001 Approved Factory

GRW MINIATURE BALL BEARINGS

- Metric and Imperial sizes up to 40mm outer diameter
- High precision to ISO P4A/ABEC 9P and above
- Radial and angular contact types
- Hybrid (ceramic balls) versions
- SV 30 material gives greatly improved corrosion resistance and longer life
- Specialist treatments for arduous and hostile environments including space
- Range of shims, spring washers and circlips
- Special assemblies to customer requirements
- ISO 9001 Approved Factory



FEY LABYRINTH SEALING RINGS

- Reduce premature bearing failure in dirty and abrasive environments
- Simple, cost-effective design based on laminar ring concept, easy-to-fit, for both rotary and static applications
- Non-contacting surface mean low friction, no heat generation and low wear in rotary applications
- Sizes from 15mm to 1300mm nominal bore or shaft diameters
- Special sizes can be produced in small batches inexpensively
- Standard spring steel for temperatures to 300°C, nickel-chrome steel for temperatures to 750°C
- Can be adapted to be used as single or double wound internal and external circlips
- ISO 9001 and TS16949 Approved Factory



SCHNORR DISC SPRINGS

- Originator of Disc Spring manufacture
- 12,000 standard and special sizes from 6mm to 250mm outside diameter
- Special sizes to 1,000mm outside diameter and 80mm thick
- Standard range manufactured from spring steel
- High alloyed steel and Nimonics available for hostile conditions
- Slotted and non-slotted springs for preloading ball bearings
- Manufactured to DIN 2092 and DIN 2093 standards
- ISO 9001 and TS16949 Approved Factory

ABIS PRECISION BALL BEARINGS

- Miniature range in Metric and Imperial sizes from 0.6mm bore
- Metric and Imperial sizes up to 125mm outside diameter
- Precision qualities ABEC 1, 3 and 5
- Flanged and un-flanged executions
- Open, shielded and sealed bearings
- Thin section range of 6700, 6800 and 6900 sizes
- ISO 9001 Approved Factories



ADR BEARING ASSEMBLIES

- Complex integrated assemblies to customer requirements
- Special materials used include HS tool steels, super alloys, non-magnetics and titanium
- Precision ball bearing range with accuracy to ISO PA4/ABEC 9P and above includes:
 - Sizes up to 315mm outside diameter
 - 4 point contact versions
 - thin section sizes
 - super duplex configuration, offering greater accuracy, compactness and fitting benefits
- AS/EN9100 Approved Factory

SCHNORR SAFETY AND LOAD WASHERS

- Size range from 1.6mm to 36mm bolt
- Wide range of materials and finishes
- No deformation of fastener stem
- Minimum damage to mating surfaces
- Cannot tangle in storage
- S, VS, HDS and HS types to suit most types of bolts
- ISO 9001 and TS16949 Approved Factory



Our difference...



We are a family owned company founded in 1938 to supply quality mechanical components. Today we serve a broad band of industry with a wide range of quality products.

These are manufactured by companies of international repute who are each specialists in their own field.

We are approved to BS EN ISO 9001:2000.

We aim to provide the best in both products and service

- Experienced informative staff give fast, effective and friendly service.
- Technical support nationwide.
- Large stocks - same day despatch - Kanban and JIT deliveries.
- Cost effective solutions.
- Modern technology combined with people.
- Listen, communicate - no surprises!
- Think long term - everlasting customers.



...the team that cares

Integrity • Expertise • Commitment

IEC Limited, Harwell Road, Nuffield Estate, Poole, Dorset BH17 0BD, Great Britain

Registered in England 1925337



T 01202 339559
F 01202 680101
E info@iecltd.co.uk
W www.iecltd.co.uk